



DESCRIPTION

The FC10 follows the same vision as the FC9, a stunning design that delivers new levels of compatibility and performance, but with a 435mm wide form factor that perfectly complements any home theatre setup. The all-aluminium sandblasted finish houses a multitude of features such as Heatpipe Direct Touch cooling, universal optical drive eject button and a pivoting drive cage that makes assembly easier than ever. More than just a computer enclosure, the FC10 is a work of art that beautifully combines form and function.

MODEL USAGE

Silent Home Media (HTPC), Surveillance, Kiosk, Home Automation, Server

ALUMINUM

The entire exterior, including the power button is made of aluminum, no usage of steel or plastic

ODB COMPUTING – TOTALLY SILENT SOLUTION

With its built in passive (fanless) CPU and chipset cooler, it is possible to set up a totally silent computer, 100% noise free

TIMELESS DESIGN

Minimalist design and the use of high-quality materials characterize this case

CONNECTIVITY

Two USB 3.0 ungradable ports are built into the side for easy access and IR window for optional receiver

VERSATILE

Supports not only mini-ITX but also micro-ATX and full-ATX motherboards, and allows for two full size PCI card to be fitted using a riser card. Up to five HDD/SSD's can be installed at the same time

ROBUST


With over 5KG of extruded aluminum used, this design is extremely strong and durable.

EASY INSTALLATION

The user manual contains clear and precise illustrations which show every step of the installation process

SPECIFICATION

Chassis Material	Extruded & Milled Aluminium
Available Colours	Silver / Black - Sandblast Finish
Motherboard Compatibility	ATX, Micro-ATX, Mini-ITX
HDD Drive Support	3 x 2.5" + 2 x 3.5"
ODD Drive Support	1 x Slim slot loading drive, left or right eject button
Expansion Slot	2 x Full Height Expansion Slots (riser card required)
USB Ports	2 x Side Facing, USB 3.0 Ready (3.0 cable required)
Cooling	Heatpipe Direct Touch 4 Pipes – Max CPU TDP 95W**
Dimensions	435 x 319 x 100mm (W x D x H)
Power Supply Support	Nano120, Nano150, Nano180 or StreaFlex 250 (not Included)
IR Solution	MCE Compatible IR Receiver & Remote (not Included)
Net Weight	5.4KG

PICTURES

DRAWING FROM USER GUIDE

PICTURES



FRONT VIEW



REAR ANGLED VIEW

PICTURES



FRONT ANGLED VIEW



ISOMETRIC VIEW

CONTACT INFORMATION

STREACOM HEADQUARTERS

Address: Melbournestraat 56, 3047 BJ Rotterdam, The Netherlands

Phone Number: +31(0)10 752 3517

Fax Number: +31 (0)84 229 9504

Email Address: inquiry@streacom.com

Website: www.streacom.com

FC10 Product Page: www.streacom.com/products/fc10-fanless-chassis/



Contact us for up-to-date specifications, price, availability and OEM/ODM inquiries.