



# FC5WS

## DATASHEET



## KEY FEATURES

### COMPACT

With a height of just 60mm, the FC5 is an ultra low profile case for Mini-ITX and micro ATX mainboards

### ALUMINUM

The entire exterior, including the power button is made of aluminum, no usage of steel or plastic

### HEATPIPE TECHNOLOGY

The passive CPU cooling system is included and comes with heatpipes and mounting hardware for all current sockets. This can comfortably handle CPU's with a maximum TDP of 65W

### 0DB COMPUTING – TOTALLY SILENT SOLUTION

With its built in passive CPU cooler, it is possible to set up a totally silent computer, 100% noise free

### TIMELESS DESIGN

Minimalist design and the use of high-quality materials characterized this case

### VERSATILE

Supports not only mini-ITX but also micro-ATX motherboards, and allows for a full size PCI card to be fitted using a riser card. Up to four HDD/SSD drives can be used at the same time

### OPTIMIZED FOR MEDIA CENTER

Dedicated mounting posts and window for optional IR-receiver module

### ROBUST

With over 5KG of aluminum used and a 10mm thick front panel, this design is extremely strong and durable.

### EASY INSTALLATION

The user manual contains clear and precise illustrations which show every step of the installation process



## SPECIFICATIONS

Chassis Material	All aluminum, 10mm thick front panel
Available Colours	Silver / Black - sandblast finish
Motherboard Compatibility	Micro ATX and Mini ITX
HDD Drive Support	1 x 3.5" Drive + 2 x 2.5" + 1 x Shared 3.5" or 2.5" (Shared 3.5" only with mITX)
Expansion Slot	1 x Full Height PCI Expansion Slot (Riser Card Required)
Cooling Method	Passive Heatpipe Solution – Recommended CPU TDP: 65W
Dimensions	435 x 325 x 60mm (LxDxH)
Power Supply Support	NanoPSU & AC adapter (not Included)
IR Solution	MCE compatible IR receiver & remote (not Included)
Net Weight	5.2KG

## PICTURES




ILLUSTRATION TAKEN FROM THE USER GUIDE, SHOWING HARD DRIVE INSTALLATION



FRONT VIEW



REAR VIEW



SIDE ANGLE VIEW



SIDE ANGLE VIEW